



Headlamp, Rotary and Fuel Tank Switches

**Push-Pull Headlamp
Switches**



**Rotary Headlamp &
Light Switches**


**Universal Rotary
Switches**

**Rotary Fuel Tank
Switches**



Push-Pull Headlamp Switches with Rheostat Dimmer for Panel Lamps

3 Positions • OFF - PARK & TAIL - HEAD & TAIL



4.5 ohms rheostat dimmer, 15 amp internal circuit breaker.

No. 71092-02


Mounting stem: 7/16"-28 thread.

Knob: black, headlamp symbol imprint.

Terminals: 8 blade, accept Packard connector #2977645 or #2984169.

Case: plated steel.

Dome lamp control in any of three positions.



7.0 ohms rheostat dimmer.

No. 71042

Mounting stem: 3/8"-24 thread.

Knob: ivory, LIGHTS imprint.

Terminals: 3 single and 3 double blade.

Case: plated steel.



3.75 ohms rheostat dimmer, 30 amp circuit breaker.

No. 7178

Mounting stem: 3/8"-24 thread.

Knob: black, LIGHTS imprint.

Terminals: 4 screw.

Case: plated steel.

Panel lights can be adjusted in both ON positions.



11 ohms rheostat dimmer, 20 amp circuit breaker.

No. 71016

Mounting stem: 3/8"-24 thread.

Knob: tan, LIGHTS imprint.

Terminals: 4 screw.

Case: plated steel.




No. 71016-01

Same as No. 71016 except with 30 amp circuit breaker.

Push-Pull Headlamp Switches

3 Positions • OFF - PARK & TAIL - HEAD & TAIL



No. 7124

Mounting stem: 7/16" - 28 thread.

Knob: black, LIGHTS imprint.

Terminals: 4 screw.

Case: plated steel.



30 amp circuit breaker

No. 7157

Mounting stem: 7/16" - 28 thread.

Knob: ivory, LIGHTS imprint.

Terminals: three screw.

Case: plated steel.

Contacts: silver.



No. 7124-06

Same as No. 7124 except knob is imprinted with headlamp symbol.



No. 7152

Mounting stem: 7/16" - 28 thread.

Knob: ivory, LIGHTS imprint.

Terminals: four screw.


Case: plated steel.

Contacts: silver.




Push-Pull Headlamp Switches

3 Positions • OFF - PARK & TAIL - HEAD & TAIL



No. 72101 30 amp circuit breaker.
Mounting stem: 7/16" - 28 thread.
Knob: black, LIGHTS imprint.
Terminals: 3 screw.
Case: plated die cast.
Sealing: case sealed at bushing and terminal insulator.
Contacts: silver.


No. 72102
 Same as No. 72101 except without sealing.



No. 72100
Mounting stem: 7/16" - 28 thread.
Knob: black, LIGHTS imprint.
Terminals: 4 screw.
Case: plated die cast.
Sealing: case sealed at bushing and terminal insulator.
Contacts: silver.


No. 72099
 Same as No. 72100 except without sealing.

No. 7127 20 amp fuse.
Mounting stem: 7/16" - 28 thread.
Knob: Ivory, LIGHTS imprint.
Terminals: 4 screw.
Case: plated steel.




4 Position Push-Pull Headlamp and Worklight Switches


No. 7112 Headlamp Switch
Mounting stem: 3/8" - 24 thread.
Knob: tan, LIGHTS imprint.
Terminals: 5 screw.
Case: plated steel.



No. 72081 Headlamp and worklight switch.
Mounting stem: 7/16" - 28 thread.
Knob: black, headlight symbol imprint.
Terminals: 3 screw.
Case: plated steel.
Sealing: O-ring sealed at mounting stem.



No. 71033-02 Worklight switch.
Mounting stem: 7/16" - 28 thread.
Knob: black, worklight symbol imprint.
Terminals: 3 blade.
Case: plated steel.
Sealing: O-ring sealed at mounting stem.



Rotary Headlamp and Light Switches

No. 72079-01

Mounting stem: 5/8"-32 thread.


Actuator: black knob, headlight symbol imprint.

Terminals: five screw.

Case: plated steel.

Sealing: O-ring in mounting stem.

Contacts: silver.



No. 72023-01


Mounting stem: 5/8"-32 thread.

Actuator: short lever.

Terminals: four screw.

Case: plated steel.

Sealing: O-ring in mounting stem.



No. 72051-03


Mounting stem: 5/8"-32 thread.

Actuator: lever.

Terminals: five blade, accept Packard connector #2962912.

Case: plated steel.

Sealing: O-ring in mounting stem.



⊖ No. 72058-01

Mounting stem: 1/2"-20 thread.


Actuator: lever.

Terminals: four screw.

Case: plated steel.

Sealing: O-ring in mounting stem.

Contacts: silver.




⊖ No. 24052

Mounting stem: 5/8"-32 thread.

Actuator: illuminated tan knob, Fog Lights imprint.


Terminals: three screw.

Case: plated steel.




Universal Rotary Switches


Available in a full range of circuitries and styles for lighting, ignition and similar applications.




No. 9500 10 amps at 12 VDC
Mounting stem: 1/2" - 20 thread.
Actuator: lever.
Terminals: two screw.
Case: plated steel case.




No. 24054 10 amps at 12 VDC
Mounting stem: 1/2" - 20 thread.
Actuator: lever.
Terminals: three screw.
Case: plated steel.




No. 24053 10 amps at 12 VDC
Mounting stem: 1/2" - 20 thread.
Actuator: lever.
Terminals: two screw.
Case: plated steel case.




No. 75701 20 amps at 12 VDC
Mounting stem: 7/16" - 28 thread.
Actuator: lever.
Terminals: three screw.
Case: plated steel.
Contacts: silver.



No. 24051 5 amps at 12 VDC
Mounting stem: 5/8" - 32 thread.
Actuator: illuminated tan knob, "Switch" imprint.
Terminals: two screw.
Case: plated steel.




No. 75705-01 10 amps at 12 VDC
Mounting stem: 13/16" - 24 thread.
Actuator: key with coded tumbler lock.
Terminals: three screw.
Case: plated steel.



No. 9802 20 amp total at 12 VDC
Mounting stem: 5/8" - 32 thread.
Actuator: lever.
Terminals: three screw.
Case: plated steel.
Contacts: silver.

Universal Reversing Rotary Switches



Both positions
spring return to
OFF position

No. 90005-01 15 amps at 12 VDC


Mounting stem: 1/2" - 20 thread.

Actuator: lever.

Terminals: four screw.

Case: plated steel.

Contacts: silver.



Both positions
spring return to
OFF position

No. 90005-03 15 amps at 12 VDC


Mounting stem: 13/16" - 24 thread.

Actuator: coded tumbler lock.

Terminals: four screw.

Case: plated steel.

Sealing: O-ring sealed at stem.



Both positions
spring return to
OFF position

No. 90005-04 15 amps at 12 VDC

Mounting stem: 1/2" - 20 thread.

Actuator: lever.

Terminals: four screw.

Case: plated steel.


Contacts: silver.

Rotary Fuel Tank Switches

For 2 and 4 tank vehicles.

Clearly marked face plates.

Molded black plastic knobs with set screw.




No. 7511 2 Tanks

Mounting stem: 7/16" - 28 thread.

Terminals: 3 screw.

Case: plated steel.



No. 7510 4 Tanks

Mounting stem: 7/16" - 28 thread.

Terminals: 5 screw.

Case: plated steel.

Contacts: silver.